



## LED decorative light

Application for LED color and aluminum alloy plasticity, and then enter into environmental light after projecting colorful light on wall. As usual, use wall lamp create atmosphere or use ceiling to design for light ray. Several LED colors are available and create delightful and active atmosphere. Each lamp only has 1-4W power consumption and retains optimal decoration by less energy. It also features convenient installation; most of them are surfaced mounted. This may

select for cold white, warm white, red, green, blue or yellow (six colors) under peripheral decoration environment. Different colors play different decoration effect. This features modern cold white, enthusiastic red, serene green, mysterious blue and noble yellow.

Application: KTV, hotel, bar, residential corridor, ceiling, hallway and relative other areas.




## LED decorative light

This serial product applies for 8° lens, with over 10m ray access. This may use it as indoor ceiling, wall and relative decoration lamp, also use it as IP65 outdoor decoration lamp.



Available:




### GT-SLWA027

MATERIAL: Aluminium  
power led/incl.controller/3x1W  
2x1W/350mA/70-80lm



Standard:



### GT-SLWA028

MATERIAL: Aluminium  
power led/incl. Controller/3x1W  
3x1W/350mA/70-80lm



Standard:



### GT-SLWA029

MATERIAL: Aluminium  
power led/incl. controller/4x1W  
4x1W/350mA/70-80lm



Standard:






GT-SLWA007A



GT-SLWA008A



GT-SLWA009A




GT-SLWA010A

Available:




Available:




GT-SLWA007B

MATERIAL: Aluminium  
power led/incl. controller/1x1W  
1x1W/350mA/70-80lm




GT-SLWA008B

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
2x1W/350mA/70-80lm



GT-SLWA009B

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
3x1W/350mA/70-80lm




GT-SLWA010B

MATERIAL: Aluminium  
power led/incl. controller/4x1W  
4x1W/350mA/70-80lm





GT-SLWA007A

MATERIAL: Aluminium  
power led/incl. controller/1x1W  
1x1W/350mA/70-80lm





GT-SLWA008A

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
2x1W/350mA/70-80lm



GT-SLWA009A

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
3x1W/350mA/70-80lm



GT-SLWA010A

MATERIAL: Aluminium  
power led/incl. controller/4x1W  
4x1W/350mA/70-80lm






GT-SHL8022C



GT-SHL8004

Available:



GT-SHL8022C

MATERIAL: Aluminium  
power led/excl. Controller/1x3W  
1x1W/700mA/70-80lm



Standard:



GT-SHL8004

MATERIAL: Aluminium  
power led/excl. Controller/1x3W  
1x1W/700mA/70-80lm




Standard:




## LED decorative light

This serial product applies for lens-free design, applies after-processed design for aluminum to change light ray into 120°. Light fixture and light ray design becomes extreme simplicity. This is mostly applied to illuminate at wall corner or staircase corner. This still select for cold white, red, green, blue, yellow under peripheral decoration environment. Different light rays have different decoration effects. This features modern cold white, enthusiastic red, serene green, mysterious blue and noble yellow.



GT-SHL004/1



GT-SHL004/1


MATERIAL: Aluminium  
power led/incl. controller/1x1W  
1x1W/350mA/70-80lm

IP20

Standard:  
120°



GT-SHL004/2




GT-SHL004/2

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
2x1W/350mA/70-80lm


IP20

Standard:  
120°

Available:



GT-SODL007



GT-SODL008



GT-SODL009



GT-SODL010

Available:



GT-SODL007

MATERIAL: Aluminium  
power led/excl. controller/1x1W  
1x1W/350mA/70-80lm

IP65

Standard:



GT-SODL008

MATERIAL: Aluminium  
power led/excl. controller/1x1W  
1x1W/350mA/70-80lm

IP65

Standard:




GT-SODL009

MATERIAL: Aluminium  
power led/excl. controller/1x1W  
1x1W/350mA/70-80lm

IP65

Standard:



GT-SODL010


MATERIAL: Aluminium  
power led/excl. controller/1x1W  
1x1W/350mA/70-80lm

IP65

Standard:




GT-SHL025/1



GT-SHL025/2

Available:




GT-SHL025/1

MATERIAL: Aluminium  
power led/incl. Controller/1x1W  
2x1W/350mA/70-80lm

CE IP20

Standard:




GT-SHL025/2

MATERIAL: Aluminium  
power led/inner controller/3x1W  
2x1W/350mA/70-80lm

CE IP20

Standard:




GT-SLWA006

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
2x1W/350mA/70-80lm

CE IP20

Standard:




GT-SLWA071

MATERIAL: Aluminium  
power led/incl. controller/1x1W  
1x1W/350mA/70-80lm

CE IP20

Standard:




GT-SLWA072

MATERIAL: Aluminium  
power led/incl. controller/3x1W  
2x1W/350mA/70-80lm

CE IP20

Standard:



GT-SLWA073

MATERIAL: Aluminium  
power led/inner controller/3x1W  
3x1W/350mA/70-80lm

CE IP20

Standard:


Available:



GT-SLWA006



GT-SLWA071



GT-SLWA072



GT-SLWA073